


FortiGate® 100E Series

FortiGate 100E, 101E, 100EF, 140E and 140E-POE



The Fortinet Enterprise Firewall Solution delivers end-to-end network security with one platform, one network security operating system and unified policy management with a single pane of glass — for **the industry's best protection against the most advanced security threats and targeted attacks.**



Security Fabric Integration

FortiGate appliances, interconnected with the Fortinet Security Fabric, form the backbone of the Fortinet Enterprise Solution.



Deployment Modes

Distributed Enterprise Firewall
Next Generation Firewall



Hardware Acceleration

SPU SoC3



Third-Party Certifications



7.4 Gbps
Firewall

2 Million
Concurrent Sessions



500 Mbps
IPS



360 Mbps
NGFW




250 Mbps
Threat Protection




Multiple GE SFP | Multiple GE RJ45

HARDWARE

FortiGate 100E/101E



FortiGate 100EF




Interfaces

1. USB Port
2. Console Port
3. 2x GE RJ45 MGMT/DMZ Ports
4. 2x GE RJ45 WAN Ports
5. 2x GE RJ45 HA Ports
6. 8x GE RJ45 Ports
7. 8x GE SFP Slots

Interfaces

1. USB Port
2. Console Port
3. 2x GE RJ45 MGMT/DMZ Ports
4. 2x GE RJ45 WAN Ports
5. 2x GE RJ45 HA Ports
6. 14x GE RJ45 Ports
7. 2x GE RJ45/SFP Shared Media Pairs


FortiGate 140E



Interfaces

1. USB Port
2. Console Port
3. 2x GE RJ45 MGMT/HA Ports
4. 2x GE RJ45 WAN Ports
5. 36x GE RJ45 Ports
6. 2x GE SFP DMZ Slots

FortiGate 140E-POE



Interfaces

1. USB Port
2. Console Port
3. 2x GE RJ45 MGMT/HA Ports
4. 2x GE RJ45 WAN Ports
5. 14x GE RJ45 Ports
6. 24x GE RJ45 POE Ports
7. 2x GE SFP DMZ Slots

Redundant Power Supply

Power supply redundancy is essential in the operation of mission-critical networks. The FortiGate 100E Series offers the option to connect to an external redundant power supply appliance — The FortiRPS 100, designed to increase network availability and uptime.


Powered by SPU SoC3

- Combines a RISC-based CPU with Fortinet's proprietary Security Processing Unit (SPU) content and network processors for unmatched performance
- Simplifies appliance design and enables breakthrough performance for smaller networks
- Supports firewall acceleration across all packet sizes for maximum throughput
- Delivers accelerated UTM content processing for superior performance and protection
- Accelerates VPN performance for high speed, secure remote access

SOFTWARE

FortiOS

Control all the security and networking capabilities across the entire FortiGate platform with one intuitive operating system. Reduce operating expenses and save time with a truly consolidated next generation security platform.



- A truly consolidated platform with one OS for all security and networking services for all FortiGate platforms.
- Industry-leading protection: NSS Labs Recommended, VB100, AV Comparatives and ICSA validated security and performance.
- Control thousands of applications, block the latest exploits, and filter web traffic based on millions of real-time URL ratings.
- Detect, contain and block advanced attacks automatically in minutes with integrated advanced threat protection framework.
- Solve your networking needs with extensive routing, switching, WiFi, LAN and WAN capabilities.
- Activate all the SPU-boosted capabilities you need on the fastest firewall platform available.



For more information, please refer to the FortiOS data sheet available at www.fortinet.com

SERVICES

FortiGuard™ Security Services

FortiGuard Labs offers real-time intelligence on the threat landscape, delivering comprehensive security updates across the full range of Fortinet's solutions. Comprised of security threat researchers, engineers, and forensic specialists, the team collaborates with the world's leading threat monitoring organizations, other network and security vendors, as well as law enforcement agencies:

- **Real-time Updates** — 24x7x365 Global Operations research security intelligence, distributed via Fortinet Distributed Network to all Fortinet platforms.
- **Security Research** — FortiGuard Labs have discovered over 170 unique zero-day vulnerabilities to date, totaling millions of automated signature updates monthly.
- **Validated Security Intelligence** — Based on FortiGuard intelligence, Fortinet's network security platform is tested and validated by the world's leading third-party testing labs and customers globally.

FortiCare™ Support Services

Our FortiCare customer support team provides global technical support for all Fortinet products. With support staff in the Americas, Europe, Middle East and Asia, FortiCare offers services to meet the needs of enterprises of all sizes:

- **Enhanced Support** — For customers who need support during local business hours only.
- **Comprehensive Support** — For customers who need around-the-clock mission critical support, including advanced exchange hardware replacement.
- **Advanced Services** — For global or regional customers who need an assigned Technical Account Manager, enhanced service level agreements, extended software support, priority escalation, on-site visits and more.
- **Professional Services** — For customers with more complex security implementations that require architecture and design services, implementation and deployment services, operational services and more.



Enterprise Bundle

FortiGuard Labs delivers a number of security intelligence services to augment the FortiGate firewall platform. You can easily optimize the protection capabilities of your FortiGate with the FortiGuard Enterprise Bundle. This bundle contains the full set of FortiGuard security services plus FortiCare service and support offering the most flexibility and broadest range of protection all in one package.

SPECIFICATIONS

	FORTIGATE 100E	FORTIGATE 101E	FORTIGATE 100EF	FORTIGATE 140E	FORTIGATE 140E-POE
Hardware Specifications					
GE RJ45 Ports	14	14	8	36	14
GE RJ45 Management/HA Ports	1 / 1	1 / 1	1 / 1	1 / 1	1 / 1
GE SFP Slots	—	—	8	2	2
GE RJ45 PoE/+ Ports	—	—	—	—	24
GE RJ45 WAN Ports	2	2	2	2	2
GE RJ45 or SFP Shared Ports	2	2	—	—	—
USB Port	1	1	1	1	1
Console Port	1	1	1	1	1
Internal Storage	—	480 GB	—	—	—
Included Transceivers	0	0	0	0	0
System Performance					
Firewall Throughput (1518 / 512 / 64 byte UDP packets)	7.4 / 7.4 / 4.4 Gbps				
Firewall Latency (64 byte UDP packets)	3 μ s				
Firewall Throughput (Packets Per Second)	6.6 Mpps				
Concurrent Sessions (TCP)	2 Million				
New Sessions/Second (TCP)	30,000				
Firewall Policies	10,000				
IPsec VPN Throughput (512 byte packets)	4 Gbps				
Gateway-to-Gateway IPsec VPN Tunnels	2,000				
Client-to-Gateway IPsec VPN Tunnels	5,000				
SSL-VPN Throughput	250 Mbps				
Concurrent SSL-VPN Users (Recommended Maximum)	300				
IPS Throughput (HTTP / Enterprise Mix) ¹	1.9 Gbps / 500 Mbps				
SSL Inspection Throughput ²	350 Mbps				
Application Control Throughput ³	800 Mbps				
NGFW Throughput ⁴	360 Mbps				
Threat Protection Throughput ⁵	250 Mbps				
CAPWAP Throughput ⁶	1.5 Gbps				
Virtual Domains (Default / Maximum)	10 / 10				
Maximum Number of FortiAPs (Total / Tunnel Mode)	64 / 32				
Maximum Number of FortiTokens	1,000				
Maximum Number of Registered FortiClients	600				
High Availability Configurations	Active / Active, Active / Passive, Clustering				
Dimensions					
Height x Width x Length (inches)	1.73 x 17 x 10	1.73 x 17 x 10	1.73 x 17 x 10	1.73 x 17 x 15.5	1.73 x 17 x 15.5
Height x Width x Length (mm)	44 x 432 x 254	44 x 432 x 254	44 x 432 x 254	44 x 432 x 394	44 x 432 x 394
Form Factor	Rack Mount, 1 RU	Rack Mount, 1 RU	Rack Mount, 1 RU	Rack Mount, 1 RU	Rack Mount, 1 RU
Weight	7.28 lbs (3.3 kg)	7.28 lbs (3.3 kg)	7.28 lbs (3.3 kg)	12.4 lbs (5.6 kg)	12.4 lbs (5.6 kg)
Environment					
Power Required	100–240V AC, 60–50 Hz				
Maximum Current	100V / 1A, 240V / 0.5A	100V / 1A, 240V / 0.5A	100V / 1A, 240V / 0.5A	100V / 0.4A	100V / 5A
Power Consumption (Average / Maximum)	23.0 W / 25.5 W	24.8 W / 27.5 W	24.4 W / 26.9 W	34.4 W / 40.0 W	477.1 W / 500.0 W
Heat Dissipation	87.0 BTU/h	93.8 BTU/h	91.8 BTU/h	136.48 BTU/h	1706.07 BTU/h
Operating Temperature	32–104°F (0–40°C)				
Storage Temperature	-31–158°F (-35–70°C)				
Operating Altitude	Up to 7,400 ft (2,250 m)				
Humidity	20–90% non-condensing				
Compliance					
FCC Part 15B, Class A, CE, RCM, VCCI, UL/cUL, CB, BSMI					
Certifications					
ICSA Labs: Firewall, IPsec, IPS, Antivirus, SSL-VPN; IPv6					

Note: All performance values are "up to" and vary depending on system configuration. IPsec VPN performance is based on 512 byte UDP packets using AES-256+SHA1. 1. IPS performance is measured using 1 Mbyte HTTP and Enterprise Traffic Mix. 2. SSL Inspection is measured with IPS enabled and HTTP traffic, using TLS v1.2 with AES256-SHA. 3. Application Control performance is measured with 64 Kbytes HTTP traffic. 4. NGFW performance is measured with IPS and Application Control enabled, based on Enterprise Traffic Mix. 5. Threat Protection performance is measured with IPS and Application Control and Malware protection enabled, based on Enterprise Traffic Mix. 6. CAPWAP performance is based on 1444 byte UDP packets.

For complete, up-to-date and detailed feature set, please refer to the Administration Handbook and FortiOS Datasheet.

ORDER INFORMATION

Product	SKU	Description
FortiGate 100E	FG-100E	20x GE RJ45 ports (including 2x WAN ports, 1x DMZ port, 1x Mgmt port, 2x HA ports, 14x switch ports), 2x Shared Media pairs (including 2x GE RJ45 ports, 2x SFP slots). Maximum managed FortiAPs (Total / Tunnel) 64 / 32.
FortiGate 101E	FG-101E	20 x GE RJ45 ports (including 2x WAN ports, 1x DMZ port, 1x Mgmt port, 2x HA ports, 14x switch ports), 2x Shared Media pairs (including 2x GE RJ45 ports, 2x SFP slots) 480 GB onboard storage. Maximum managed FortiAPs (Total / Tunnel) 64 / 32.
FortiGate 100EF	FG-100EF	14x GE RJ45 ports (including 2x WAN ports, 1x DMZ port, 1x Mgmt port, 2x HA ports, 8x internal switch ports), 8x SFP ports. Maximum managed FortiAPs (Total / Tunnel) 64 / 32.
FortiGate 140E	FG-140E	40x GE RJ45 ports (including 2x WAN ports, 1x Mgmt port, 1x HA port, 36x switch ports), 2x GE SFP DMZ slots. Maximum managed FortiAPs (Total / Tunnel) 64 / 32.
FortiGate 140E-POE	FG-140E-POE	40x GE RJ45 ports (including 2x WAN ports, 1x Mgmt port, 1x HA port, 24x RJ45 GE POE/POE+ ports, 14x switch ports), 2x GE SFP DMZ slots. Maximum managed FortiAPs (Total / Tunnel) 64 / 32.
Optional Accessories		
External redundant AC power supply	FRPS-100	External redundant AC power supply for up to 4 units: FG-100/101E, FG-300C, FG-310B, FS-348B and FS-448B. Up to 2 units: FG-200B, FG-200D, FG-200/201E, FG-240D and FG-300D, FG-400D, FG-500D, FG-600D, FHV-500D, FDD-200B, FDD-400B, FDD-600B and FDD-800B.
1 GE SFP LX transceiver module	FG-TRAN-LX	1 GE SFP LX transceiver module for all systems with SFP and SFP/SFP+ slots.
1 GE SFP RJ45 transceiver module	FG-TRAN-GC	1 GE SFP RJ45 transceiver module for all systems with SFP and SFP/SFP+ slots.
1 GE SFP SX transceiver module	FG-TRAN-SX	1 GE SFP SX transceiver module for all systems with SFP and SFP/SFP+ slots.



GLOBAL HEADQUARTERS
Fortinet Inc.
899 KIFER ROAD
Sunnyvale, CA 94086
United States
Tel: +1.408.235.7700
www.fortinet.com/sales

EMEA SALES OFFICE
905 rue Albert Einstein
06560 Valbonne
France
Tel: +33.4.8987.0500

APAC SALES OFFICE
300 Beach Road 20-01
The Concourse
Singapore 199555
Tel: +65.6395.2788

LATIN AMERICA SALES OFFICE
Sawgrass Lakes Center
13450 W. Sunrise Blvd., Suite 430
Sunrise, FL 33323
United States
Tel: +1.954.368.9990