




# Enhanced communication for businesses, Medium or Large....

Introducing HP-256 Communication System  
Cost-Effective | Feature Rich | Converged



Improve efficiency within your business with a decisive competitive advantage using the help of HP-256 an advanced multifunctional communication tool.

# HP-256 communication system, The perfect communication solution.

HP-256 series offers medium and large enterprises a highly reliable, technologically advanced and cost-effective communication system. It has the capability to meet the diverse and specific needs of immediate and emerging businesses.

HP-256 is specially designed for organisation's with up to 224 TDM users and up to 256 IP users (based on the system variant). HP-256 provides high efficiency, stability and reliability. It's enriched feature set helps Medium and Large scale organisation's to fulfill their business requirements at a reduced operational cost.

This system provides professional support for medium and large business operations across the verticals like Hospitals, Hotels, Educational Institutions, Media Houses, Production Houses etc where employees rely heavily on communications to carry out their day-to-day activities.

## HP-256 series Communication System



## Features supported by HP-256:

### Interactive Voice Response (IVR)

- In-built IVR for incoming PSTN (Analog & PRI) lines
- Supports multi-level tree structures
- Simultaneous 32 calls can be handled

### In-Skin Voicemail

- In-skin voicemail (8/16ports)
- Voice Mail to e-mail integration
- Supports 500 GB hard disk and 17,750 hours of recording
- It doesn't consume any analog extension ports
- Supports WEB based management

### Voice Recording

- In-skin voice recording (8/16 ports)
- Can record any interface (Analog / Digital extensions, Analog / PRI Trunks)
- Supports 500 GB hard disk and 17,750 hours of recording
- Supports WEB based management
- Supports selective port (Extensions & Trunks) recording

### Conference

- HP-256 series supports up to 32 party ad-hoc conferences (based on system variant).
- Conference participants can be any combination of Internal and External caller

### PC based Operator Console

- One key dialing
- Multi-incoming call info display
- Selective answering of calls
- Call queuing
- Supervised / Blind transfer
- Busy Lamp Field
- Override
- Directory services

### In built Hotel Features

#### HP-256 series offers following Hotel specific features:

- Check-in / Check-out
- Wake Up Call Service
- Room to Room call barring
- Integrated call billing
- Do Not Disturb (DND)
- Display guest name at operator console
- Message Waiting Indication (only for Digital Phones)

### Phone Mate Service (Parallel Ringing)

Each extension can have one external number (Mobile number) as it's mate. Ring signal will be sent simultaneously to both devices. Any one of them can answer the call, and other one would stop ringing immediately.

### System Management

System management is supported via LAN/Serial port via USO software.

### In-built Call billing application

- Integrated Call Billing application enables the administrator to monitor the phone usage and billing as far as call charges are concerned.
- Call billing application supports multi-type bills format like mdb, txt, xls etc.
- Flash Memory with 2 million call charge data records
- Secure management (only authorized user can access the call billing software)

### Master / Slave mode for Digital phones:

- HP-256 series systems support Master / Slave mode where Analog phones can be connected behind Specific models of Digital phones.
- The master-slave function is supported with Digital Phone 8150T & 8180. Digital Phone 8150 doesn't support this function.
- Maximum distance of the analog phone from the digital phone is 100 meters.

### Flexible numbering

HP-256 series supports flexible numbering, the extensions can be 1-8 digits.

### Flexible feature codes

HP-256 series supports flexible codes for features like Call back, Call pickup, Conference, DND, Override, Trunk Access etc.

### Call Back

The Callback feature sends your phone a priority ring, indicating the previously busy or unanswered extension you dialed, is now available.

### Call Pick Up (Group)

The Call Pickup feature lets you answer a call at your telephone for another extension in your call pickup group.

### Call Pickup (Directed)

Directed call pickup, lets you pick up a call for a specific extension even if that extension is not part of your pickup group.

### Caller Line Identification (CLI)

HP-256 series supports CLI on Analogue, Digital & IP Extensions for internal as well as external trunks. HP-256 series supports FSK /DTMF format.

### Extension Name display on Digital phone

Name display (14 Characters) is supported on digital phone (8150 & 8180). With this any internal extension can be assigned a name & the same would be displayed.

### Call Forwarding:

HP-256 series supports the following scenarios for call forwarding.

- Call Forward - Unconditional
- Call Forward - On Busy
- Call Forward - On No Answer

### Call Consultation/Toggle

HP-256 series supports call consultation where a user can put the existing call on HOLD and can accept the waiting call. It is also possible to toggle between two calls.

### Call Hold

Using this feature a digital extension user can press the hold key to put an existing call on hold. Held call can be retrieved at a later stage.

### Group ringing

System supports group ringing for external incoming calls. The incoming trunk can be configured to ring at maximum 56 extensions simultaneously. Anyone of the extensions of group answers the call, other extensions would stop ringing. Likewise 16 groups can be formed.

### Call Hunting

In the case of a hunt group, an incoming call is signaled at one of the group members. If this member does not answer the call, the call is assigned to next member. All members of the hunt group can be reached via same phone number.

### Hot-Line

System supports hot-line feature. The following type of hotlines are supported

- Immediate Hotline
- Delayed Hotline

### Phone Locking

HP-256 series supports dynamic phone locking feature. This will enable an extension (Analog/Digital/IP) to lock his phone preventing from any misuse.

### Call Waiting

When there is an incoming call to an extension already busy with previous call, Call waiting functionality will indicate the caller's number visually on the display of Digital phone. It can also be signaled acoustically by a short call waiting tone on Digital phones as well as on Analog phones.

### DID/DOD

Users can make an outgoing call as well as can receive direct incoming call on their extensions without any operator assistance.

### Timed Reminder

Any user can dynamically set a timed reminder from his phone using predefined codes.

### Phone Book (Digital)

HP-256 series supports two Digital phones (8150 & 8180). 8150 can save 100 numbers and 8180 can save 300 numbers.

Following tasks can be done:

- Edit phone number
- Add phone number
- Browse phone number
- Delete phone number

### **Boss-Secretary**

HP-256 series system supports Boss-Secretary feature where all incoming calls for the boss will be signaled to secretary first. So all calls will be monitored and then only important calls will be passed on to the boss.

### **Voice Guidance**

User features are promptly acknowledged with easy to understand voice messages.

### **Different ring tones**

Internal & external incoming calls can be differentiated with different ring tone.

### **Music on Hold (MoH)**

HP-256 series supports Music on hold. "Music on hold" file can be changed as per customers need.

### **Individual Speed dial**

Individual Speed Dialing enables every subscriber to store 16 external numbers as individual speed-dial numbers in addition to the system speed-dial numbers

### **System Speed dial**

HP-256 series supports system speed-dial. The frequently dialed numbers can be stored centrally in the system speed-dial list. Every number is then represented by a speed-dial number which is used instead of the full phone number.

These numbers can then be dialed out by any extension by dialing its access code.

System can store maximum 983 speed-dial numbers centrally.

### **Voice Paging (Broadcast)**

Voice Paging enables broadcasting of announcements to digital phones in the system. Any extension (Analog/Digital/IP) can broadcast the message by pressing a specific code to activate the speaker of a Digital phone or Group of Digital phones.

Group broadcast is also possible with 16 groups each having 56 extensions (Max).

### **Direct Inward Dialing:**

External callers can directly dial the DID (Direct Inward Dialing) number to reach the desired extension. This is supported on ISDN PRI lines.

### **Call Transfer**

System supports internal & external call transfer. HP-256 series supports Blind and Supervised Call Transfer. CLIP is also transferred to the destination party.

- Blind Transfer involves transferring a call without consulting the recipient. It is also known as unsupervised transfer or cold transfer.
- Supervised Transfer involves consultation before transferring the call.

### **Do not disturb (DND)**

Do not disturb (DND) can be set where user does not wish to receive any incoming calls. Caller would hear busy tone.

### **Private Trunk Line**

System can reserve a particular trunk line only for specific group of users. Other users do not get access to this trunk line.

### **Direct Outward Dialing**

A user can dial out to an external number without any operator assistance.

### **Calling Time Restriction**

System can restrict the call duration. System can restrict a call whenever an extension is having a long duration call with internal or external numbers.

### **Override**

Override feature enables an extension to override any ongoing calls.

### **Incoming only trunk**

System can assign one of the trunk lines as incoming only which will restrict any outgoing calls from that particular trunk line.

### **Trunk/Extension status indication**

All extension and Trunk cards provide status indication.

### **PMS (Fidelio / IDS / Amadeus) Integration supported features**

- Check in / Check out
- Billing & Front Office
- Wake-up Service
- DND
- Mini Bar

## HP-256 Series Technical Specifications

| HP-256 Series System                                     | HP-256 C+                      | HP-256 T+                      |
|--|--------------------------------|--------------------------------|
| Total peripheral slots in the system                     | 13 Slots                       | 14 Slots                       |
| Analog subscriber card (SLA)                             | 8/16 ports per card            | 8/16 ports per card            |
| Digital subscriber card (SLU)                            | 4/8 ports per card             | 4/8 ports per card             |
| Analog trunk card (TLA)                                  | 8/16 ports per card            | 8/16 ports per card            |
| 4W E&M card  | 4 Ports per card               | 4 Ports per card               |
| IP Subscriber card (IPS)                                 | 256 IP Ports (IPS 256)         | 64 IP Ports (IPS 64)           |
| VoIP trunk card (IPT)                                    | 54 Channels                    | 54 Channels                    |
| ISDN PRI card (PRI)                                      | 2 Port / Card<br>(60 Channels) | 2 Port / Card<br>(60 Channels) |
| Max. number of analog subscribers that can be connected  | 208                            | 224                            |
| Max. number of digital subscribers that can be connected | 104                            | 112                            |
| Max. number of IP subscribers that can be connected      | 256                            | 64                             |
| Max. number of analog trunks that can be connected       | 208                            | 224                            |
| Max. number of VoIP trunks that can be connected         | 54 Channels                    | 54 Channels                    |
| Max. number of ISDN PRI trunks that can be connected     | 120 Channels                   | 120 Channels                   |

| Interface Type              |   |
|-----------------------------|---|
| Analog extension interface  | a/b line 48V DC   |
| Digital extension interface | 2 wire digital  |
| Analog trunk interface      | Loop trunk, incoming ringing current, outgoing dual tone signal |
| ISDN PRI trunk interface    | ITU-T G.703, Euro-ISDN  |

| Telephone Requirement |   |
|-----------------------|---|
| Digital Phones        | Digital Phone Models 8150, 8150T & 8180 |
| Analog Phones         | Normal analog phone with a/b interface  |

| Power Supply            |                              |
|-------------------------|------------------------------|
| Input voltage AC / DC   | 230 V AC +/- 10% / - 48 V DC |
| Frequency               | 50 Hz                        |
| Power Consumption       | 150 W                        |
| External Battery Backup | - 48 V DC                    |

| Environmental Requirements |  |
|----------------------------|--|
| Cabinet size               | 486mm x 221.2mm x 312mm   19" Rack Mount (5U)  <br>Table-Top option available with Housing |
| Temperature                | 0 to +45 Degree Celsius  |
| Relative Humidity          | 10% to 90% Relative  |

## Digital Phone 8150 / 8180

When it comes to advanced communication requirements it's the technological advantage that enhances efficiency and flexibility of use. The Digital Phones 8150 / 8180 thus becomes the preferred choice for those who are in need of updating their current communication systems. With its easy-to-use Navigation Key (Jog Dial) these phones help extension users quickly select and control various features, including commonly used settings such as microphone, speaker and ringer volume, and adjusting LED background lightness. Its ergonomic design and operational function contributes to its value addition and makes it convenient to use.



Features supported on Digital Phone 8150 / 8180 -

| Phone Operations  | Outgoing Call Operations | Communication Management | Other Functions          |
|-------------------|--------------------------|--------------------------|--------------------------|
| Volume Adjust     | Normal Call              | Call Back when Busy      | Transfer in Busy         |
| Backlight Setting | Hotline Call             | Missed Calls Call Back   | Transfer after No-Answer |
| Incoming Call     | DSS Key Call             | Call Hold                | Secretary Function       |
| Answer Call       | Last call Redial         | Call Transfer            | DND/Refuse               |
| Auto Answer       |                          | MIC Mute                 | Phone Book Operation     |
| Call Pickup       |                          | Call Waiting Answer      | Conference Call          |

## Operator Console

Digital Phone 8150 / 8180 can be used as console for operator to receive incoming calls from CO-line. It will help the operator to handle calls easily and perform other tasks. Details as below:

- ▶ Secretary function
- ▶ Call back
- ▶ One key dialing
- ▶ Redial / Auto redial
- ▶ Calls holding
- ▶ Forwarding call

Information presented on the display of Digital Phone 8150 / 8180

- ▶ Incoming & outgoing calls
- ▶ Call duration
- ▶ Incoming caller's number
- ▶ Calling extension number
- ▶ Menu of system features
- ▶ Date / time

## Sales Offices:

### Ahmedabad

409, Pinnacle Business Park,  
Corporate Road, Prahaladnagar,  
Ahmedabad - 380015  
Tel.: +91-79-40407500  
Fax: +91-79-40407575

### Aurangabad

15-16, Disha Alankar,  
Rathi Galaxy, Cannought Place,  
Town Centre, Near YZ-Ford  
Showroom, CIDCO,  
Aurangabad - 431003  
Tel.: +91 20 22916003  
Fax: +91-20-22916020

### Bengaluru

No. 92-93, 1st Floor,  
Garden Citi Plaza, Domlur,  
Koramangala Intermediate  
Ring Road, Amar Jyothi Layout,  
Domlur, Bengaluru - 560071  
Tel.: +91-80-43618000  
Fax: +91-80-4361 8080

### Bhopal

2<sup>nd</sup> Floor, Gomti-Villa,  
273, Zone-II, M. P. Nagar,  
Bhopal - 462011  
Tel.: +91-755-4012244  
Fax: +91-755-4004676

### Bhubaneswar

Plot No.382, 2<sup>nd</sup> Floor  
Bhoi Nagar  
(Behind Sahid Nagar  
Police Station)  
Bhubaneswar - 751022  
Tel: 09437004318

### Chandigarh

SCO 189-191, 3<sup>rd</sup> Floor,  
Sector 17C,  
Chandigarh - 160017  
Tel.: +91-172-4690321  
Fax: +91-172-4690399

### Chennai

Dilmias Square, No. 27/10,  
Shaffi Mohammed Road,  
Thousand Lights,  
Chennai - 600006  
Tel.: +91-44-28334190  
Fax: +91-44-28334198

### Cochin

KG Oxford Business Centre,  
No 39/4609, 4th Floor C,  
Sree Kandath Road,  
Ravipuram, Cochin - 682016  
Tel.: +91-484-4044260  
Fax: +91-484-4044261

### Delhi

A-25, Mohan Co-Operative  
Industrial Estate, Mathura  
Road, New Delhi - 110044  
Tel.: +91-11-42885500  
Fax: +91-11-42885588

### Gurgaon

Plot No 6A, Sector 18, Huda,  
Gurgaon - 122015, Haryana  
Tel: +91 11 4288 5508

### Hyderabad

Plot No. 58 & 59, Saranya  
Building, Ground Floor,  
Sree Nagarjuna Co-operative  
Housing Society Ltd., Nagarjuna  
Hills, Hyderabad - 500082  
Tel.: +91-40-4448 2500  
Fax: +91-40-4448 2525

### Jaipur

605, 6th Floor, Green House,  
Ashok Marg, C-Scheme,  
Jaipur - 302001  
Tel.: +91-141-2375993  
Fax: +91-141-2375993

### Kolkata

5th Floor, Stesalit Tower,  
Plot No. E-2-3 Block EP & GP,  
Sector V, Salt Lake City,  
Kolkata-700091  
Tel.: +91-33-40165100

### Mahape

EL - 19, MIDC, TTC Industrial  
Area, Mahape, Near Nelco,  
Navi Mumbai - 400710

### Mumbai

601, 6<sup>th</sup> Floor, 247 Park,  
Tower 'B', L. B. S. Marg,  
Vikhroli (W), Mumbai - 400083  
Tel.: +91-22-71447000  
Fax: +91-22-71447200

### Nagpur

Plot No. 1, Sai Sadan,  
Near Mount Carmel School,  
Ajni Square, Nagpur - 440015  
Tel.: +91-712-6639666  
Fax: +91-712-6639666

### Pune

Salunkhe Crystal, 3<sup>rd</sup> Floor,  
118 Vigyan Nagar, Bhavdhan,  
Pune - 411021  
Tel.: +91-20-22916060  
Fax: +91-20-22916020

### Vadodara

A/413, Atlantis, B/s. Central  
Square, At Sarabhai Campus,  
Nr. Genda Circle,  
Vadodara - 390023  
Tel.: +91-265-2323155  
Fax: +91-265-2323155

### Visakhapatnam

Visakha Business Centre Cabin  
S-9, 46-19-5, Manda Vari  
Street, Behind Big Bazar,  
Dondaparthi,  
Visakhapatnam - 530008  
Tel.: +91-9949353919  
Fax: +91-40-4448 2525

### Coimbatore

Tel.: +91-875-4451555

### Dehradun

Tel: +91 9568010446

### Guwahati

Tel.: +91-9435143954

### Goa

Tel.: +91-7755923035

### Jammu

Tel: +91 9858282726  
+ 91 9988899421

### Kota

Tel.: +91-9950953393

### Lucknow

Tel.: +91-9839720271

### Madurai

Tel.: +91-9940193782

### Patna

Tel.: +91 9743868352

### Ranchi

Tel: +91 9835506705

### Raipur

Tel.: +91-7697821880

### Vijayawada

Tel: +91 9618779496

Contact us: 011-42885508

[www.progilitytech.com](http://www.progilitytech.com)

**Corporate Head Office:** 601, 6th Floor, 247 Park, Tower 'B', L. B. S. Marg, Vikhroli (W),  
Mumbai - 400083, Maharashtra, India. Tel.: +91-22-71447000 Email us - [india@progilitytech.com](mailto:india@progilitytech.com)

